Material Safety Data Sheet

(conforms to EC directive 91/155/EEC)

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Identification of substance

Stormsure Tippet Sinkant

1.2 Company identification:

Stormsure Ltd

Hall Farm Lode Road

Bottisham, Cambridge CB25 9DN

1.3 **Emergency contact information**

> Telephone: 01223 813038 info@stormsure.com email:

2. **Composition/Information on ingredients**

2.1 Chemical compostion

> sodium palmate CAS No 61790-79-2 sodium cocoate CAS No 61789-31-9 aqua (water) CAS No 7732-18-5 sucrose CAS No 57-50-1 sodium castorate CAS No 8013-06-7 glycerin CAS No 56-81-5 alcohol denat CAS No 64-17-5 parfum (perfume) (as per variety) polysorbate 80 CAS No 9005-65-6 o-tolyl biguanide CAS No 93-69-6

colour (as per

variety)

none

2.2 Risk phrases none 2.3

Hazards Identification 3.

Classification/Symbol

Product not classified as Dangerous for Supply.

First Aid Measures

Stormsure Ltd STMS Rev 3 Page 1 of 3

Material Safety Data Sheet (conforms to EC directive 91/155/EEC)

4.1		Eye contact Flush eyes with an excess of water for 5 minutes or until the irritation ceases. If the irritation persists, seek medical assistance.
4.2		Skin contact: Wash off with an excess of water
4.3		Inhalation: Not applicable
4.4		Ingestion: Drink water. If discomfort persists, seek medical attention.
5.	Fire Fighting Measures	
5.1		Special fire/explosion hazard No
.2		Main products of combustion
		Non-toxic hydrocarbons and carbon dioxide
.3		Fire fighting procedures
		In accordance with surrounding fire extinguishing media
6.	Handling And Storage	
6.1		Precautions during handling Good industrial hygiene.
6.2		Precautions during storage Store in closed containers.
7.	Physical And Chemical Properties	
7.1	Physical state	Coloured solid
7.2	Odour	according to variety

Page 2 of 3 STMS Rev 3 Stormsure Ltd

Material Safety Data Sheet

(conforms to EC directive 91/155/EEC)

7.3 **Temperature characteristics** Melting Point 55 deg C. 7.4 рΗ pH 8 - 9(5% dispersion in water) 7.5 Solubility in water 100% in solvents 100% in ethanol 7.6 Vapour pressure N/A 7.7 **Density** 1.06 Mg/m3 7.8 **Flammability** Combustible at temps. > 190 deg C. Flash point None **Stability And Reactivity** 8 **Stability** 8.1 Stable Conditions/materials to avoid 8.2 Humidity over 80% Storage temperature over 30 deg C.

Stormsure Ltd Page 3 of 3 STMS Rev 3